

广东爱晟电子 OTS 系列 R200=1K Ω \pm 5%， B100/200=4535K \pm 3% RT 表

R200=1K Ω \pm 5%， B100/200=4535K \pm 3%

T(°C)	Rmin(K Ω)	Rnor(K Ω)	Rmax(K Ω)	T(°C)	Rmin(K Ω)	Rnor(K Ω)	Rmax(K Ω)
-20	1913	2547	3384	23	205.8	255.9	317.3
-19	1804	2398	3180	24	196.7	244.1	302.3
-18	1702	2258	2989	25	188.0	233.0	288.1
-17	1606	2127	2811	26	179.7	222.4	274.7
-16	1516	2005	2644	27	171.8	212.4	261.9
-15	1432	1890	2488	28	164.3	202.9	249.8
-14	1352	1782	2342	29	157.2	193.8	238.4
-13	1278	1681	2206	30	150.5	185.2	227.5
-12	1208	1587	2078	31	144.0	177.1	217.1
-11	1143	1498	1958	32	137.9	169.3	207.3
-10	1081	1415	1846	33	132.0	161.9	198.0
-9	1023	1336	1741	34	126.5	154.9	189.2
-8	968.4	1263	1643	35	121.2	148.2	180.8
-7	917.0	1194	1550	36	116.1	141.8	172.8
-6	868.7	1129	1464	37	111.3	135.8	165.2
-5	823.1	1068	1382	38	106.7	130.0	157.9
-4	780.2	1011	1306	39	102.3	124.5	151.1
-3	739.8	956.8	1234	40	98.15	119.3	144.5
-2	701.7	906.0	1167	41	94.17	114.3	138.3
-1	665.8	858.2	1104	42	90.36	109.5	132.4
0	631.9	813.2	1044	43	86.73	105.0	126.7
1	599.9	770.8	988.0	44	83.26	100.6	121.4
2	569.7	730.8	935.2	45	79.95	96.53	116.2
3	541.2	693.2	885.6	46	76.79	92.59	111.4
4	514.2	657.6	838.9	47	73.77	88.84	106.7
5	488.8	624.1	794.9	48	70.88	85.25	102.3
6	464.7	592.5	753.4	49	68.12	81.83	98.06
7	442.0	562.6	714.4	50	65.48	78.56	94.03
8	420.5	534.4	677.5	51	62.95	75.44	90.19
9	400.2	507.8	642.8	52	60.54	72.46	86.52
10	380.9	482.7	610.0	53	58.23	69.61	83.02
11	362.7	458.9	579.1	54	56.02	66.89	79.67
12	345.5	436.4	549.9	55	53.90	64.29	76.48
13	329.1	415.1	522.3	56	51.88	61.80	73.43
14	313.7	395.0	496.3	57	49.94	59.42	70.52
15	299.0	376.0	471.7	58	48.08	57.14	67.74
16	285.1	358.0	448.4	59	46.30	54.96	65.08
17	271.9	340.9	426.4	60	44.59	52.88	62.54
18	259.4	324.8	405.6	61	42.96	50.88	60.11
19	247.5	309.5	386.0	62	41.39	48.97	57.78
20	236.3	295.0	367.4	63	39.89	47.14	55.56
21	225.6	281.2	349.7	64	38.45	45.38	53.43
22	215.5	268.2	333.1	65	37.07	43.70	51.40

T(°C)	Rmin(KΩ)	Rnor(KΩ)	Rmax(KΩ)	T(°C)	Rmin(KΩ)	Rnor(KΩ)	Rmax(KΩ)
66	35.75	42.10	49.45	113	7.783	8.743	9.797
67	34.48	40.55	47.58	114	7.561	8.487	9.501
68	33.26	39.07	45.80	115	7.347	8.238	9.215
69	32.08	37.66	44.09	116	7.139	7.999	8.939
70	30.96	36.30	42.45	117	6.939	7.767	8.673
71	29.88	34.99	40.88	118	6.744	7.543	8.415
72	28.84	33.74	39.37	119	6.556	7.326	8.166
73	27.85	32.54	37.93	120	6.374	7.117	7.926
74	26.89	31.39	36.55	121	6.198	6.914	7.694
75	25.97	30.28	35.22	122	6.028	6.718	7.469
76	25.09	29.22	33.95	123	5.863	6.529	7.252
77	24.24	28.20	32.73	124	5.703	6.345	7.042
78	23.42	27.22	31.56	125	5.548	6.168	6.840
79	22.64	26.28	30.44	126	5.398	5.996	6.644
80	21.88	25.38	29.36	127	5.253	5.830	6.454
81	21.15	24.51	28.33	128	5.112	5.669	6.270
82	20.46	23.68	27.34	129	4.976	5.513	6.093
83	19.78	22.87	26.38	130	4.844	5.362	5.921
84	19.13	22.10	25.47	131	4.716	5.216	5.755
85	18.51	21.36	24.59	132	4.592	5.075	5.595
86	17.91	20.65	23.74	133	4.471	4.938	5.439
87	17.33	19.96	22.93	134	4.355	4.805	5.288
88	16.78	19.30	22.15	135	4.241	4.676	5.142
89	16.24	18.66	21.39	136	4.132	4.551	5.001
90	15.72	18.05	20.67	137	4.025	4.431	4.865
91	15.23	17.46	19.98	138	3.922	4.313	4.732
92	14.75	16.90	19.31	139	3.822	4.200	4.604
93	14.28	16.35	18.67	140	3.725	4.090	4.480
94	13.84	15.82	18.05	141	3.630	3.983	4.359
95	13.41	15.32	17.45	142	3.539	3.879	4.243
96	12.99	14.83	16.88	143	3.450	3.779	4.129
97	12.59	14.36	16.33	144	3.363	3.682	4.020
98	12.21	13.90	15.80	145	3.280	3.587	3.914
99	11.83	13.47	15.29	146	3.198	3.495	3.811
100	11.47	13.05	14.79	147	3.119	3.406	3.711
101	11.13	12.64	14.32	148	3.043	3.320	3.614
102	10.79	12.25	13.86	149	2.968	3.236	3.520
103	10.47	11.87	13.42	150	2.896	3.155	3.429
104	10.16	11.50	13.00	151	2.825	3.076	3.341
105	9.856	11.15	12.59	152	2.757	2.999	3.255
106	9.564	10.81	12.19	153	2.691	2.925	3.172
107	9.283	10.49	11.81	154	2.626	2.853	3.091
108	9.011	10.17	11.45	155	2.563	2.782	3.013
109	8.749	9.864	11.09	156	2.502	2.714	2.936
110	8.495	9.569	10.74	157	2.443	2.648	2.863
111	8.250	9.284	10.40	158	2.385	2.583	2.791
112	8.012	9.009	10.10	159	2.329	2.521	2.721

T(°C)	Rmin(KΩ)	Rnor(KΩ)	Rmax(KΩ)	T(°C)	Rmin(KΩ)	Rnor(KΩ)	Rmax(KΩ)
160	2.275	2.460	2.654	206	0.837	0.884	0.932
161	2.222	2.401	2.588	207	0.819	0.866	0.914
162	2.170	2.344	2.524	208	0.803	0.849	0.896
163	2.120	2.288	2.462	209	0.786	0.832	0.878
164	2.071	2.233	2.402	210	0.770	0.816	0.862
165	2.024	2.181	2.344	211	0.754	0.799	0.845
166	1.977	2.129	2.287	212	0.739	0.784	0.829
167	1.932	2.079	2.232	213	0.724	0.768	0.813
168	1.889	2.031	2.178	214	0.710	0.753	0.798
169	1.846	1.984	2.126	215	0.695	0.739	0.783
170	1.805	1.938	2.075	216	0.681	0.724	0.768
171	1.764	1.893	2.026	217	0.668	0.710	0.753
172	1.725	1.849	1.978	218	0.655	0.697	0.739
173	1.687	1.807	1.931	219	0.642	0.683	0.726
174	1.649	1.766	1.886	220	0.629	0.670	0.712
175	1.613	1.726	1.842	221	0.617	0.657	0.699
176	1.577	1.687	1.799	222	0.605	0.645	0.686
177	1.543	1.649	1.757	223	0.593	0.633	0.673
178	1.509	1.612	1.717	224	0.581	0.621	0.661
179	1.477	1.576	1.677	225	0.570	0.609	0.649
180	1.445	1.541	1.639	226	0.559	0.598	0.637
181	1.414	1.507	1.601	227	0.548	0.586	0.626
182	1.383	1.473	1.565	228	0.538	0.576	0.614
183	1.354	1.441	1.530	229	0.528	0.565	0.603
184	1.325	1.409	1.495	230	0.518	0.555	0.593
185	1.297	1.378	1.461	231	0.508	0.544	0.582
186	1.270	1.348	1.429	232	0.498	0.534	0.572
187	1.243	1.319	1.397	233	0.489	0.525	0.562
188	1.217	1.291	1.366	234	0.480	0.515	0.552
189	1.192	1.263	1.336	235	0.471	0.506	0.542
190	1.167	1.236	1.306	236	0.462	0.497	0.532
191	1.143	1.210	1.277	237	0.453	0.488	0.523
192	1.119	1.184	1.249	238	0.445	0.479	0.514
193	1.096	1.159	1.222	239	0.437	0.470	0.505
194	1.074	1.134	1.196	240	0.429	0.462	0.496
195	1.052	1.111	1.170	241	0.421	0.454	0.488
196	1.030	1.087	1.145	242	0.413	0.446	0.480
197	1.010	1.065	1.120	243	0.406	0.438	0.471
198	0.989	1.043	2.654	244	0.398	0.430	0.463
199	0.969	1.021	2.588	245	0.391	0.423	0.455
200	0.950	1.000	2.524	246	0.384	0.415	0.448
201	0.930	0.979	2.462	247	0.377	0.408	0.440
202	0.910	0.959	2.402	248	0.371	0.401	0.433
203	0.891	0.940	2.344	249	0.364	0.394	0.426
204	0.873	0.921	2.287	250	0.358	0.387	0.418
205	0.854	0.902	2.232				